

PATENT NUMBER and
ISSUE DATE

U.S. UTILITY Patent Application

APPL NUM 10000467	FILING DATE 10/24/2001	CLASS 435	SUBCLASS 6	GAU 1656	EXAMINER Riley
----------------------	---------------------------	--------------	---------------	-------------	-------------------

208C
**APPLICANTS: Van Ness Jeffrey; Tabone John; Howbert J.; Mulligan John;

**CONTINUING DATA VERIFIED:

THIS APPLICATION IS A CON OF 09/457,048 12/07/1999 ABN
WHICH IS A CON OF 08/898,501 07/22/1997 PAT 6,027,890
WHICH IS A CIP OF 08/787,521 01/22/1997 ABN
WHICH CLAIMS BENEFIT OF 60/010,436 01/23/1996
AND CLAIMS BENEFIT OF 60/015,402 03/21/1996

** FOREIGN APPLICATIONS VERIFIED:

PG-PUB	DO NOT PUBLISH <input type="checkbox"/>	RESCIND <input type="checkbox"/>	ATTORNEY DOCKET NO
Foreign priority claimed 35 USC 119 conditions met		<input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> yes <input type="checkbox"/> no	780068.418C3
Verified and Acknowledged Examiners's initials			
TITLE : Methods and compositions for enhancing sensitivity in the analysis of biological-based assays U.S. DEPT. OF COMM./PAT. & TM-PTO-436L (Rev. 12-94)			

NOTICE OF ALLOWANCE MAILED		CLAIMS ALLOWED									
		<table border="1"> <tr> <td colspan="2">Assistant Examiner</td> <td>Total Claims</td> <td>Print Claim for O.G</td> </tr> <tr> <td colspan="2"></td> <td></td> <td></td> </tr> </table>		Assistant Examiner		Total Claims	Print Claim for O.G				
Assistant Examiner		Total Claims	Print Claim for O.G								
ISSUE FEE		DRAWING									
Amount Due	Date Paid	Sheets Drwg.	Figs. Drwg.								
		Print Fig.									
TERMINAL DISCLAIMER		Primary Examiner									
		Application Examiner									
PREPARED FOR ISSUE											
WARNING: The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35, Sections 122, 181 and 368. Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only.											

FILED WITH:

DISK (CRF)

CD-ROM
(Attached in pocket on right inside flap)